

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name	
PO040242	MEC002-VU	1	1	Net 30	M7075T6S0.375X8.000	7075-T6S Sheet .375" Thick Plate X 8" Wide : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR ASTM B209 receive ft				24	7/9/2018	24		S090187	Stock	7/6/2018	\$ 26.79 / ft	5		\$642.96	Metaux Castle	
		2	M7075T6S2.000X7.000		7075-T6S Sheet 7" Thick Plate X 2" Wide (Order In Billets - 13.375") : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR ASTM B209 receive ft				63		63		S090188	Stock	7/6/2018	\$ 83.07 / ft	5		\$5,191.88	Metaux Castle		
Total:										87		87									\$5,834.84	

INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE



Page 1 of 2

Shipment No:3634002

Ship From: A. M. CASTLE & CO. 4175 ROYAL DRIVE SUITE 600 KENNESAW, GA 30144 USA		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier	BOL No
27-JUN-18	ORIGIN	Prepaid	XPO LOGISTICS FREIGHT	3634002-2

Shipment Details	Final Destination Branch - TOR
-------------------------	---------------------------------------

Order No 5175856	Line No 2	Item No 750616.MO	Description 2.0000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT RECTANGLE TO 7 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 13.375")) X 13.375 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 13.375")) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12
Purchase Order No 40242	Part Number	Ordered Qty 56.00 PCS	Invoice Qty 56.00 PCS
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS			

Delivery No. 121915821	Mill/Source KAISER ALUMINUM	Heat Number 	Mech Id 2	PCS 2	Width (IN)	Length (IN)	Shipped Qty(LBS) 38.6564
121915821	CONSTELLUM ROLLED PRODUCTS		54	54			1043.7220

INTERORG TRANSFER PACKING SLIP/ CERTIFICATE OF CONFORMANCE

Page 2 of 2

<p>These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.</p>	
<p>We hereby certify the material covered by this certification conforms in accordance with the above specifications and <u>has been found to meet the applicable requirements for the material, including any specifications forming a part of the description.</u> <u>Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.</u></p>	
Reviewed by Authorized Castle Metals Representative	<p>Date: _____ Name: _____</p>



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO040242

Supplier: MEC002-VU
Metaux Castle
P.O. Box 4090 Stn A
Toronto
ON
M5W OE9 Canada

PO No: PO040242

PO Date: 6/19/18

Due Date: 7/5/18

**Purchase Order
Revision:**

Revision Date:

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

E-MAILED
JUN 19 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments:

Items

Line Item	Job	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1		M7075T6S0.375X8.000		7075-T6S Sheet .375" Thick Plate X 8" Wide : MATERIAL: 7075- T6/T62 ALUMINUM SHEET AS PER QQ-A- 250/12 OR AMS-QQ-A- 250/12 OR AMS 4045 OR ASTM B209 receive ft	Firmed	7/5/18	24 ft	0 ft 24 ft	24 ft	\$26.79/ft	\$642.96 AT 18/07/09
2		M7075T6S7.000X2.000		7075-T6S Sheet 7" Thick Plate X 2" Wide (Order In Billets - 13.375") : MATERIAL: 7075- T6/T62 ALUMINUM SHEET AS PER QQ-A- 250/12 OR AMS-QQ-A- 250/12 OR AMS 4045 OR ASTM B209 receive ft	Firmed	7/5/18	62.5 ft	0 ft 62.5 ft	63 ft	\$83.07/ft	\$5,191.88 AT 18/07/09

Plex 6/19/18 8:37 AM dart.lavoie.chantal

Items											
Line Item	Job	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
Line Item Note note: 56 pcs cut at 13.375" = 62.500 ft											
											Grand Total: \$5,834.84
Order Notes											
Procurement Quality Clauses A005 right of entry A012 chemical and physical test report A016 personnel qualification A017 raw material identification (as applicable) A026 certification of material conformance A041 quality management system A042 dart notification by supplier A043 retention of quality documents A048 counterfeit parts avoidance, detection, mitigation and disposition program A049 supplier awareness Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.											

Plex 6/19/18 8:37 AM dart.lavoie.chantal

SHIP TO: A M CASTLE & CO 14001 ORANGE AVE P.O. BOX 1402 PARAMOUNT, CA 90723
SOLD TO: AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4420463

CUSTOMER PO NUMBER: 378798	WORK PACKAGE:	CUSTOMER PART NUMBER: 750616	SHIP RUN/LOAD: 103579/6	GOVT CONTRACT NUMBER:		
KAISER ORDER NO: 1212704	LINE ITEM: 1	SHIP DATE: 30-MAY-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T65	PRODUCT DESCRIPTION: KaiserSelect Plate
WEIGHT SHIPPED: 4334 LB	QUANTITY: 3 PCS EST.	TRUCK B/L #: 2060574	GUAGE: 2.0000 IN (50.8000 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)	

MHU 2000977: LOT 786980A3: 3 pieces;

Certified Specifications

AMS 4045/RevK
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
PS 21211/RevP

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 1512

Test Results

Lot: 786980A3 Cast 189 Drop 37 Ingot 4 Parent Lot: 173937B4 Melted in USA

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	82.0 : 82.2 (565 : 567)	72.3 : 72.7 (499 : 501)	11.7 : 11.7

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.18	1.6	0.02	2.5	0.19	6.0	0.03	0.01	0.02	TOT 0.05





Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4420463

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS
AMC CA 15403A R 7

TEST NOTES

Metal represented by this test report was 100% Type I
(Immersion) ultrasonically tested from one side with 3mm
dead zones top and bottom and meets the Class A and Class B
requirements of all specifications referenced on this test
report. No surface marking of sonic indications is
performed.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO 9001:2008/AS9100C certified and hereby certifies that all material shown under this order:
* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
* was melted in the United States of America or a qualifying country per DFARS 225.372-1, and was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
* has been thermally processed in compliance with AMS 2772, where applicable.
* is mercury free, within the limits of detection of ASTM E1231 (C = 1 ppm).
* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
* is in compliance with and regularly monitors any updates to the European Chemical Agency (ECHA) REACH regulations, (EC) n°1831/2003.
* is free of Conflict Minerals, as defined in Section 152 of the Dodd-Frank Act.
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced, except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or omissions on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER


**Constellium****vaacap**
Materials Testing LaboratoryConstellium Rolled Products
Ravenswood, LLCS
H
I
P
T
O

A M CASTLE & COMPANY

4175 ROYAL DRIVE
KENNESAW GA
30144
USS
O
L
D
T
O

A M CASTLE

1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110620768		4075		INCLUSION		Serial: 20180203-0110620768		Pg 1 of 2	
CUSTOMER PURCHASE ORDER NO. & ITEM 447822						Constellium ORDER NO. 227660					
ALLOY 7075		CLAD		TEMPER T651		GAUGE 2.00000 in 50.80 mm		WIDTH 48.50000 in 1,232 mm		LENGTH 144.50000 in 3,670 mm	
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS QQ-A-250/12A											
PART NUMBER 750616				B/L NUMBER 94221				DATE SHIPPED 02/04/2018			
WT. SHIPPED 4260.000 LB				NO. OF PIECES 000003				GOVT. CONTRACT NO.			
										 Dave Dunberger - Laboratory Manager	

CERTIFICATION

"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
859 Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS:

ASTM B594 REV 13 2013 100% SONIC W/ 0.125" DEADZONE Class A
AMS 4045K
AMS-STD-2154A 2012 TYPE1 CLASS A 100% SONIC MINUS DEADZONE
ASTM B209-14
BSS-7055B 2013 CLASS A 100% SONIC TESTED MINUS DEADZONE
CST1006 REV E 2011 CLASS A 100% SONIC MINUS DEADZONE
DPS 4.713 REV AK 2012 CLASS A 100% SONIC MINUS DEADZONE
GAMPS 9101 REV B 2006 CLASS A 100% SONIC MINUS DEADZONE
PS 21211P 2010 CLASS A 100% SONIC MINUS DEADZONE

Load Details

Package	Net Lbs	Kg	Lot	Piece	Serial	Parent Lot
1001698698	1,420.000	644.101	9410428	01		
1001698698	1,420.000	644.101	9410428	02		
1001698698	1,420.000	644.101	9410428	03		

Lot: 9410428 (See test results below)**Tensile - Room Temperature (US)**

Direction	Tests	Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
		Min	Max	Min	Max	Min	Max	
LT	02	80.7	81.1	70.7	72.1	13.0	13.0	



Constellium

naacap
Materials Testing Laboratory

Constellium Rolled Products
Ravenswood, LLC

S
H
I
P

T
O


A M CASTLE & COMPANY
4175 ROYAL DRIVE
KENNESAW GA
30144
US

S
O
L
D

T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE 110620768 4075 INCLUSION Serial.20180203-0110620768 Pg 2of2

CUSTOMER PURCHASE ORDER NO. & ITEM 447822				Constellium ORDER NO. 227660		CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Dave Dunbarger - Laboratory Manager	
ALLOY 7075	CLAD	TEMPER T651	GAUGE 2.00000 in 50.80 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm		
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH							
CUSTOMER SPECIFICATION AMS QQ-A-250/12A							
PART NUMBER 750616			B/L NUMBER 94221		DATE SHIPPED 02/04/2018		
WT. SHIPPED 4260.000 LB		NO. OF PIECES 000003		GOVT. CONTRACT NO.			

Tensile - Room Temperature (SI)								Report
		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	556	559	487	497	13.0	13.0	

Chemistry (Actual)

	SI	FE	CU	MN	MG	CR	ZN	TI	ZR
Core	0.07	0.14	1.48	0.03	2.56	0.21	5.46	0.03	0.00

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA

QUALITY TEXTS:
AMC CA-15403A R 7



THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CHEMISTRY BY OES: ARKSPARK

CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT

WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399

WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8: B557

DUNS Number: 090570149; CAGE Code: 1YW19

Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product.

"END OF CERTIFICATION"

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: 7075-T6/T62-T651 ALUMINUM SHEET OR PLATE
SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A-250/12
OR AMS 4045
OR ASTM B209

OR

PURCHASE MATERIAL: 7075-T6/T62-T651 ALCLAD ALUMINUM SHEET OR PLATE
SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A-250/13
OR AMS 4046/14049
OR ASTM B209

PART NUMBER: M7075T6S | TTT X W.WWW |
| THK | WIDTH |

WHERE "TTT" = THICKNESS (IN INCHES)
AND "W.WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)
EG. 0.063" THICK SHEET = M7075T6S 063
EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

PREFERRED SIZE: TTT BY 4FT DY 10FT FOR SHEET

RELEASED
2017 JUN 19
ECN 17-574

B	ADD REF TO PLATE T651 TEMPER AMS 4048, OPTIONAL WIDTH DIM (CAR16-143)	CP	17.05.05
A	NEW ISSUE	RF	10.11.08
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD	
DRAWN	CP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	ML	DRAWING NO.	REV. B
MFG. APPR.	LL	M7075T6S	SHEET 1 OF 1
APPROVED	WM	TITLE	SCALE
DE APPR.	D9	7075-T6 SHEET/PLATE SPEC	NTS
DATE	17.05.05	COPYRIGHT © 2019 BY DART AEROSPACE LTD	

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M 7075 T657.000x2.000
 DATE: 18/07/09

PO / BATCH NO.: P0040242

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 62.5'
 QUANTITY INSPECTED: 62.5'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 2"
 THICKNESS RECEIVED: 2"
 SHEET SIZE ORDERED: —
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y N	AMS-QQ-A-250/12
CORRECT THICKNESS	<input checked="" type="radio"/> Y N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y N	HT-786980A3 94/10428
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>AS</u> DATE: <u>18/07/09</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in